
Waterproof Requirements

Please waterproof cables in accordance with the following instructions. User shall assume all responsibility for device damage caused by water due to improper waterproof measures.




NOTE!


- Before you start, connect all the needed cables and cut off the copper wires for the cables that you don't use.
- Please use self-adhesive waterproof tape (supplied with some products) to protect the cables.
- Use waterproof components to protect the network cable. Waterproof the power cable separately if you don't use it. The video cable does not need waterproof treatment.
- Use insulation tape (not included in the package) to insulate the connection part
 of each cable



- 2. Waterproof the cables with self-adhesive waterproof tape.
 - (1) Fully stretch the waterproof tape at both ends.
 - (2) Wrap the connection part and the cable ends tightly with waterproof tape. Make sure the tape is fully stretched during the process.
 - (3) Tighten the tape at both ends to prevent water leakage.




3. Install the supplied waterproof components to the network cable in sequence.



CAUTION!

You need to mount the rubber ring onto the network cable interface first.

If your camera has a DC cable and you will not use it, insert the plug into the interface.




(Optional) After the waterproof treatment is completed, put the cables into a waterproof junction box (purchased separately).

CAUTION!

- The cable connector must not be exposed and must be kept away from water.
- Restore and fasten the device after dismounting.
- Place the power adapter in a power distribution box.


1 Packing list

The package contents may vary with device model.




2 Ports and Interfaces

2.1 NVR



2.2 IP Camera




3 Install the Device

The illustrations are for reference only. The actual device may vary.

3.1 (Optional) Replace Hard Disk


The hard disk is pre-installed. To replace the hard disk, please follow the steps.

- 1. Loosen the screws on the panel and remove the upper cover.
- Loosen the four screws at the bottom plate, disconnect the power and data cables, and then remove the disk




The screw positions are for reference only.

 Put the new hard disk in place and then connect the power and data cables.



5. Fasten other two screws at position 3 and 4 to secure the hard disk.



 Attach two screws to the disk (position 1 and 2) and tighten halfway. Slide the disk into place from A to B, tighten the two screws.





Put the cover back in place and tighten all the screws.



Videos are also provided for reference. Please visit https://www.uniarch.cn/web/video.html and search How to replace HDD for NVR.

3.2 (Optional) Insert Micro SD Card

Some cameras support Micro SD card. You need to insert a Micro SD card by openning the bottom cover if you want to use the edge storage function. Do not hot plug the Micro SD card, otherwise the camera or the SD card may be damaged.





For details about recommended SD card specifications, please visit https://www.uniarch.cn/web/faq.html and search Uniarch compatible SD card list.

3.3 Install the Camera

Take wall mount as an example. Make sure the wall is strong enough to hold the camera. Please prepare hardware accessories in advance.

1. Paste a drill template on the wall and drill 30mm-depth guide holes using a Φ 6-6.5mm drill bit.



Unscrew the locknut to loosen the universal joint, and then mount the camera onto the wall.





Tighten the locknut, and adjust the monitoring direction.






4 Connect the System

The following part shows an example. The actual device may vary.

1. Connect the NVR to a monitor with a HDMI or VGA cable.






The VGA cable is not shipped with device.


2. Connect a router to the NVR's LAN port with a network cable. Plug a mouse into the USB port on the NVR.



3. Connect the camera to the NVR's PoE port with a network cable.



4. Connect the NVR to power.





For more information, visit https://www.uniarch.cn/web/video.html and search How to install Uniarch PoE Security System.

5 System Startup

Make sure the cables are connected correctly and the NVR is grounded properly. Use a power supply that meets requirements.

5.1 Startup

Connect the NVR to power to start up.

5.2 Shutdown

Click Shutdown on the screen toolbar in live view page.



CAUTION!

Do not disconnect power when the NVR is operating or shutting down.

6 NVR Web Access

You can use a Web browser to access the NVR's Web interface from a PC.

- Open your Web browser, enter the NVR's IP address in the address bar, and then press Enter. The default address is 192.168.1.30.
- 2. Enter the default username and password (admin/123456), then click Login.

NOTE!

- For security, you are strongly recommended to set a strong password of at least nine characters including all three elements: digits, letters and special characters.
- For more information, please visit https://www.uniarch.cn/web/video.html and search PoE security system instruction.

7 Uniarch App

Download the Uniarch app and follow the instructions to access the NVR.

- Download Uniarch on the App Store (iOS) or on Google Play (Android).
- Scan QR code to download the app.





iO

Android



NOTE!

For more information, please visit https://www.uniarch.cn/web/video.html and search Uniarch APP instruction.

8 Contact Us

If you have any problems when using the product, please do not hesitate to contact us or visit Uniarch website.

- Email: support@uniarch.cn
- Skype: support@uniarch.cn
- Uniarch website: https://www.uniarch.cn
- FAQ: https://www.uniarch.cn/web/faq.html

Disclaimer and Safety Warnings

Copyright Statement

No part of this manual may be copied, reproduced, translated or distributed in any form or by any means without prior consent in writing from our company (referred to as us hereafter).

The product described in this manual may contain proprietary software owned by our company and its possible licensors. Unless permitted, no one is allowed to copy, distribute, modify, abstract, decompile, disassemble, decrypt, reverse engineer, rent, transfer, or sublicense the software in any form or by any means.

Export Compliance Statement

Our company complies with applicable export control laws and regulations worldwide, including that of the People's Republic of China and the United States, and abides by relevant regulations relating to the export, re-export and transfer of hardware, software and technology. Regarding the product described in this manual, our company asks you to fully understand and strictly abide by the applicable export laws and regulations worldwide.

Privacy Protection Reminder

Our company complies with appropriate privacy protection laws and is committed to protecting user privacy. You may want to read our full privacy policy at our website and get to know the ways we process your personal information. Please be aware, using the product described in this manual may involve the collection of personal information such as face, fingerprint, license plate number, email, phone number, GPS. Please abide by your local laws and regulations while using the product.

About This Manual

- This manual is intended for multiple product models, and the photos, illustrations, descriptions, etc, in this manual may be different from the actual appearances, functions, features, etc, of the product.
- This manual is intended for multiple software versions, and the illustrations and descriptions in this manual may be different from the actual GUI and functions of the software.
- Despite our best efforts, technical or typographical errors may exist in this manual. Our company cannot be held responsible for any such errors and reserves the right to change the manual without prior notice.
- Users are fully responsible for the damages and losses that arise due to improper operation.
- Our company reserves the right to change any information in this manual without any prior notice or indication. Due to such reasons as product version upgrade or regulatory requirement of relevant regions, this manual will be periodically updated.

Disclaimer of Liability

 To the extent allowed by applicable law, in no event will our company be liable for any special, incidental, indirect, consequential damages, nor for any loss of profits, data, and documents.

- The product described in this manual is provided on an "as is" basis. Unless required by applicable law, this manual is only for informational purpose, and all statements, information, and recommendations in this manual are presented without warranty of any kind, expressed or implied, including, but not limited to, merchantability, satisfaction with quality, fitness for a particular purpose, and noninfringement.
- Users must assume total responsibility and all risks for connecting the product to the Internet, including, but not limited to, network attack, hacking, and virus. We strongly recommend that users take all necessary measures to enhance the protection of network, device, data and personal information. Our company disclaims any liability related thereto but will readily provide necessary security related support.
- To the extent not prohibited by applicable law, in no event will our company and its employees, licensors, subsidiary, affiliates be liable for results arising out of using or inability to use the product or service, including, not limited to, loss of profits and any other commercial damages or losses, loss of data, procurement of substitute goods or services; property damage, personal injury, business interruption, loss of business information, or any special, direct, indirect, incidental, consequential, pecuniary, coverage, exemplary, subsidiary losses, however caused and on any theory of liability, whether in contract, strict liability or tort (including negligence or otherwise) in any way out of the use of the product, even if our company has been advised of the possibility of such damages (other than as may be required by applicable law in cases involving personal injury, incidental or subsidiary damage).
- To the extent allowed by applicable law, in no event shall our total liability to you for all
 damages for the product described in this manual (other than as may be required by
 applicable law in cases involving personal injury) exceed the amount of money that you have
 paid for the product.

Network Security

Please take all necessary measures to enhance network security for your device.

The following are necessary measures for the network security of your device:

- Change default password and set strong password: You are strongly recommended to change
 the default password after your first login and set a strong password of at least nine characters
 including all three elements: digits, letters and special characters.
- Keep firmware up to date: It is recommended that your device is always upgraded to the latest version for the latest functions and better security. Visit our official website or contact your local dealer for the latest firmware.

The following are recommendations for enhancing network security of your device:

- Change password regularly: Change your device password on a regular basis and keep the
 password safe. Make sure only the authorized user can log in to the device.
- Enable HTTPS/SSL: Use SSL certificate to encrypt HTTP communications and ensure data security.
- Enable IP address filtering: Allow access only from the specified IP addresses.
- Minimum port mapping: Configure your router or firewall to open a minimum set of ports to the WAN and keep only the necessary port mappings. Never set the device as the DMZ host or configure a full cone NAT.

- Disable the automatic login and save password features: If multiple users have access to your computer, it is recommended that you disable these features to prevent unauthorized access.
- Choose username and password discretely: Avoid using the username and password of your social media, bank, email account, etc, as the username and password of your device, in case your social media, bank and email account information is leaked.
- Restrict user permissions: If more than one user needs access to your system, make sure each
 user is granted only the necessary permissions.
- Disable UPnP: When UPnP is enabled, the router will automatically map internal ports, and
 the system will automatically forward port data, which results in the risks of data leakage.
 Therefore, it is recommended to disable UPnP if HTTP and TCP port mapping have been
 enabled manually on your router.
- SNMP: Disable SNMP if you do not use it. If you do use it, then SNMPv3 is recommended.
- Multicast: Multicast is intended to transmit video to multiple devices. If you do not use this
 function, it is recommended you disable multicast on your network.
- Check logs: Check your device logs regularly to detect unauthorized access or abnormal
 operations.
- Physical protection: Keep the device in a locked room or cabinet to prevent unauthorized physical access.
- Isolate video surveillance network: Isolating your video surveillance network with other service networks helps prevent unauthorized access to devices in your security system from other service networks.

Safety Warnings

The device must be installed, serviced and maintained by a trained professional with necessary safety knowledge and skills. Before you start using the device, please read through this guide carefully and make sure all applicable requirements are met to avoid danger and loss of property.

Storage, Transportation, and Use

- Store or use the device in a proper environment that meets environmental requirements, including and not limited to, temperature, humidity, dust, corrosive gases, electromagnetic radiation, etc.
- Make sure the device is securely installed or placed on a flat surface to prevent falling.
- Unless otherwise specified, do not stack devices.
- Ensure good ventilation in the operating environment. Do not cover the vents on the device.
 Allow adequate space for ventilation.
- Protect the device from liquid of any kind.
- Make sure the power supply provides a stable voltage that meets the power requirements of the device. Make sure the power supply's output power exceeds the total maximum power of all the connected devices.
- Verify that the device is properly installed before connecting it to power.
- Do not remove the seal from the device body without consulting our company first. Do not attempt to service the product yourself. Contact a trained professional for maintenance.
- Always disconnect the device from power before attempting to move the device.
- Take proper waterproof measures in accordance with requirements before using the device outdoors.

Power Requirements

- Installation and use of the device must be in strict accordance with your local electrical safety regulations.
- Use a UL certified power supply that meets LPS requirements if an adapter is used.
- Use the recommended cordset (power cord) in accordance with the specified ratings.
- Only use the power adapter supplied with your device.
- Use a mains socket outlet with a protective earthing (grounding) connection.
- Ground your device properly if the device is intended to be grounded.

Battery Use Caution

- When battery is used, avoid:
 - ➤ High or low extreme temperatures during use, storage and transportation;
 - > Extremely low air pressure, or low air pressure at high altitude.
 - Battery replacement.
- Use the battery properly. Improper use of the battery such as the following may cause risks of fire, explosion or leakage of flammable liquid or gas.
 - > Replace battery with an incorrect type;
 - $\blacktriangleright \quad \text{Dispose of a battery into fire or a hot oven, or mechanically crushing or cutting of a battery;}$
- Dispose the used battery according to your local regulations or the battery manufacturer's instructions.

Avertissement de l'utilisation de la batterie

- Lorsque utiliser la batterie, évitez:
 - > Températures extrêmement élevées ou basses pendant l'utilisation, le stockage et le transport;
 - > Pression d'air extrêmement basse, ou pression d'air basse à haute altitude;
 - > Remplacement de la batterie.
- Utilisez la batterie correctement. Mauvaise utilisation de la batterie comme celles mentionnées ici, peut entraîner des risques d'incendie, d'explosion ou de fuite liquide de gaz inflammables.
 - > Remplacer la batterie par un type incorrect;
 - Disposer d'une batterie dans le feu ou un four chaud, écraser mécaniquement ou couper la batterie;
- Disposer la batterie utilisée conformément à vos règlements locaux ou aux instructions du fabricant de la batterie.

Regulatory Compliance

FCC Statements

This device complies with Part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) this device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Caution: The user is cautioned that changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

NOTE: This equipment has been tested and found to comply with the limits for a Class A digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference when the equipment is operated in a commercial

14

environment. This equipment generates, uses, and can radiate radio frequency energy and, if not installed and used in accordance with the instruction manual, may cause harmful interference to radio communications. Operation of this equipment in a residential area is likely to cause harmful interference in which case the user will be required to correct the interference at his own expense.

LVD/EMC Directive



This product complies with the European Low Voltage Directive 2014/35/EU and EMC Directive 2014/30/EU.

WEEE Directive-2012/19/EU



The product this manual refers to is covered by the Waste Electrical & Electronic Equipment (WEEE) Directive and must be disposed of in a responsible manner.

Battery Directive-2013/56/EC



Battery in the product complies with the European Battery Directive 2013/56/EC. For proper recycling, return the battery to your supplier or to a designated collection point.

PoE Security System GUIDE

www.uniarch.cn

Technical Support

If you need any technical help, please contact our technical support team before returning the products.

For more Q&A information, please visit our official website, www.uniarch.cn

Disclaimer: All rights reserved, including final interpretation and content amendment.