

## NR6324EXA NVR



**32**  
CHANNELS

**40TB**  
STORAGE  
POTENTIAL

**256**  
MBPS

**IVS**

### Specifications

<b>Maximum Channels</b>	32
<b>Maximum Video Resolution (MP)</b>	12MP
<b>Examples of Channels at a resolution with FPS</b>	320 Mbps
<b>Video Compression</b>	H.264, H.264+, H.265, H.265+
<b>Video Output Resolution</b>	8MP, 5MP, 3MP, 2MP(1080P), 1.3MP(960P), 1.0MP(720P)
<b>Image Display</b>	1, 4, 6, 8, 9, 10, 12, 13, 14, 16, 17, 19, 20, 22, 25, 32
<b>Intelligent Video (Dependant On Camera)</b>	Perimeter Intrusion Detection, Face Recognition, Human & Vehicle Detection, Line Crossing Detection, Stationary Object Detection, Crossing Counting, Heat Map, Crowd Density Detection, Queue Length Detection, License Plate Detection, Rare Sound Detection, Video Tampering, License Plate Recognition
<b>Search Method</b>	Continuous, Scheduling, Event Triggered By IVS filtering. Snapshot Searching, Tagging footage, Time Lapse, Slice (Multiple Snapshot Thumbnail Search Per Hour), General (Indicated Timeline Search).
<b>Total Storage Potential (TB)</b>	40
<b>HDD Bays, Size</b>	Bays x 4, up to 10TB per HDD
<b>Software</b>	Device Search, Config Tool, Surveillance Client (CMS, VMS), Mobile app
<b>Protocols</b>	TCP, IP, UDP, HTTP, HTTPS, DHCP, FTP, RTP, RTSP, DNS, DDNS, NTP, PPPoE, UPNP, SMTP, P2P (QR code)
<b>Language</b>	English, French, Spanish, Portuguese, German, Italian, Greek, Danish, Finnish, Russia, Hebrew, Turkish, Bulgarian, Arabic, Korean, Japanese, Thai, Hindi, Romanian, Dutch, Polish
<b>Audio Streaming</b>	Audio out
<b>Non Power Over Ethernet Ports</b>	2
<b>Power Supply</b>	DC 12V, 5A
<b>Power Consumption</b>	12W (Without HDD)
<b>Connectors</b>	HDD: 3.5" SATA HDD Slot x 4, USB2 Female x 2, Gigabit Ethernet: RJ-45 Port x 2, HDMI and VGA, e-Sata x1, Alarm ports 8 in and 1 out, RS485, Audio out, Power input x 2, On off switch
<b>Operating Environment</b>	(-) 10°C ~ +50°C (14°F ~ 122°F) Humidity : Less than 90%RH
<b>In The Box</b>	Printed quick installation guide, Mouse, HDD screws, Power supply.
<b>Product Dimensions (H x W x L) mm</b>	66 x 326 x 378
<b>Weight (kg) Net / Gross</b>	3.50 / 3.40
<b>Warranty</b>	2 Years Parts

### All IVSEC X Range Network Video Recorders (NVRs) feature



**Plug and Play**  
with IVSEC X range cameras



**ONVIF Profile S/G/T**  
for ease of IP cameras compatibility on  
3rd party recording systems



**Powerful H.264, H.265 Compression**  
to save on hard drive storage



#### Easy to use Search Methods

search by date/time range, and filter by analytics:  
PIR detection, IVS, Perimeter Intrusion Detection,  
Line Crossing Detection, Stationary Object Detection,  
Pedestrian Detection, Face Detection, Line Cross Counting,  
Human and vehicle tracking \*Analytics/IVS is camera dependant



#### Remote Control

remotely control NVRs and cameras using the free  
Video Management System (VMS) for PCs, Internet  
browsers, and powerful mobile applications